

## University of Dayton eCommons

---

News Releases

Marketing and Communications

---

9-28-1977

# Joseph Militello Appointed Associate Director of the Research Institute

Follow this and additional works at: [https://ecommons.udayton.edu/news\\_rls](https://ecommons.udayton.edu/news_rls)

---

### Recommended Citation

"Joseph Militello Appointed Associate Director of the Research Institute" (1977). *News Releases*. 6590.  
[https://ecommons.udayton.edu/news\\_rls/6590](https://ecommons.udayton.edu/news_rls/6590)

This News Article is brought to you for free and open access by the Marketing and Communications at eCommons. It has been accepted for inclusion in News Releases by an authorized administrator of eCommons. For more information, please contact [frice1@udayton.edu](mailto:frice1@udayton.edu), [mschlangen1@udayton.edu](mailto:mschlangen1@udayton.edu).



---

DAYTON, Ohio, September 28, 1977 --- The appointment of Joseph Militello to the position of Associate Director of the Research Institute of the University of Dayton was announced on September 23, 1977. Mr. Militello will be responsible for managing the Institute's interdisciplinary research activities.

Mr. Militello joined the staff of the Research Institute in 1965 as a data acquisition and instrumentation engineer, following four years in a similar capacity with the Hercules Powder Company in Magna, Utah. In 1969, he was appointed to his current position of Contracts and Grants Administrator.

The interdisciplinary research activities, which will come under Mr. Militello's supervision as soon as a replacement has been selected for his current position, presently include approximately 195 separate sponsored projects with an annual volume in excess of \$8.5 million.

Mr. Militello graduated from the University of Detroit in 1961 with a degree in electrical engineering and also holds an M.B.A. degree, awarded by the University of Dayton in 1970. He and his wife, Margaret, and their six children reside at 3344 Pobst Drive in Kettering, Ohio.